



FIG. 1 PRIOR ART






FIG. 4




FIG. 5

Select specifications and operations.
Select desired one from the devices listed below.

256MB DRAM

1G DRAM

System LSI

Others

41

When operating descriptions of HDL base are prepared,
store an operating description file in your terminal and
then click the right-side Upload button

Overview

Overview

Overview

Upload

Input necessary operations and specifications

Operating frequency

Chip area

Number of products

Other operations and specifications

MHz~

mm2~


OK

MHz

mm2

Cancel

FIG. 6



Click left-side check box for desired device and then OK button. If there is no desired one, click Retry or Cancel button. If you click Retry, you can start setting operations and specifications.

Pattern number	Frequency	Area	Power consumption	Number of masks	Cost	Period	
<input type="checkbox"/>	1	632MHz	3.2X6.8mm2	15mW	3	¥1,203,300	65 days
<input type="checkbox"/>	2						
<input checked="" type="checkbox"/>	3						
<input type="checkbox"/>	4						
<input type="checkbox"/>	5						
<input type="checkbox"/>	6						
<input type="checkbox"/>	7						
<input type="checkbox"/>	8						
<input type="checkbox"/>	9						
<input type="checkbox"/>	10						

FIG. 8




FIG. 9

The following is an estimate of a desired device.
 Check the amount and, if you wish to place an order, input a payment
 method and then click OK button.
 If not, click Cancel button.

Estimate

○○○,○○○,○○○ \$

Payment method

FIG. 10




FIG. 11